



Precision Filtration (Shanghai) Co., Ltd.

Data Sheet • High Efficiency Filter Bag

Industrial Liquid Filtration Solutions



High Efficiency Filter Bag

High Efficiency absolute rated filter bag designed for your long service life, high dirt load application with demand for absolute particle removal efficiency, it is also effective in removing gelatinous contamination due to its unique structure.


- It made of melt blown PP fiber in several layer effectively removal particle of up to 99% efficiency.
- The combination of microfiber media break up the gels and retain them within the media.
- Special structure deliver both long service life and absolute filtration.
- Pure PP media contain no silicone oil, ideally for application in automotive paint and coating industry.
- An ideal replacement for pleated cartridges

Filter Bag Standard Sizes


Description	Size No.	Diameter	Length	Flow Rate	Max. Service Temperature	Suggested D/P of bag change-out
LCR	# 01	182mm	420mm	12m ³ /h	80°C	0.8-1.5bar
LCR	# 02	182mm	810mm	25m ³ /h	80°C	0.8-1.5bar
AGF	# 01	182mm	420mm	8m ³ /h	80°C	0.8-1.5bar
AGF	# 02	182mm	810mm	15m ³ /h	80°C	0.8-1.5bar
PGF	# 02	182mm	810mm	10m ³ /h	80°C	0.8-1.5bar



Filter Bag Ring Options



"S"
Steel Ring (STD)




"A"
Stainless steel Ring



"E"
Polypropylene Ring



"H"
Polyester Ring



"N"
Nylon Ring

Filter Bag Selection

Bag Description	Filter Bag Size	Particle Size Removal Efficiency		
		>90%	>95%	>99%
LCR-123	#01, #02	1	2	4
LCR-124	#01, #02	2	3	5
LCR-125	#01, #02	4	8	10
LCR-126	#01, #02	6	13	15
LCR-128	#01, #02	28	30	40
LCR-129	#01, #02	25	28	30
LCR-130	#01, #02	14	15	25
LCR-522	#01, #02	1	2	3
LCR-525	#01, #02	2	4	6
LCR-527	#01, #02	5	9	13
LCR-529	#01, #02	20	23	32

Bag Description	Bag Size	Particle Size Removal Efficiency				
		>60%	>90%	>95%	>99%	>99.9%
AGF-51	#01, #02	0.2	0.6	0.8	1.5	5
AGF-53	#01, #02	0.8	1	2	3	5
AGF-55	#01, #02	1	2	3	5	15
AGF-57	#01, #02	2	4	5	10	25
AGF-59	#01, #02	10	20	22	25	35

Bag Description	Bag Size	Particle Size Removal Efficiency		
		>95%	>99%	>99.9%
PGF-50	#01, #02	0.22 um	0.45 um	0.8 um
PGF-51	#02	0.65 um	0.80 um	1.0 um

Precision Filtration (Shanghai) Co., Ltd.

No.225, Hufa Road, Fengxian District, Shanghai 201415, P.R.China
 Tel.: +86-21-5923 8005
 Fax: +86-21-5923 8006
 Email: sales@precisionfiltrationsh.com
 Website: www.precisionfiltrationsh.com



www.precision-filtrationsh.com
 Industrial Liquid Filtration Solutions